GENETICS

A PERIODICAL RECORD OF INVESTIGATIONS
BEARING ON HEREDITY AND VARIATION

VOLUME 25 - 1940

WITH TEN PLATES AND ONE HUNDRED AND NINETY-SIX TEXT FIGURES

PUBLISHED BY THE
BROOKLYN BOTANIC GARDEN
BROOKLYN, NEW YORK
U. S. A.

INDEX TO VOLUME 25

Page numbers printed in **boldface** refer to headings and main citations.

aberration (See chromosomal abberrations)
abstracts, Genetics Society, 109–141
Achyranthes, 410
Acnida cuspidata, 410
Acnida tamariscina, 128, 410
Acnida tuberculata, 410
AGOL, I. J., 571
Agropyron cristatum, 129
albinism, 110
alfalfa, **1**–15
alfalfa endosperm, 611
ALLEN, E., 323
ALPATOV, W. W., 246
Amaranthaceae, sex determination, **409**–431
Amaranthus caudatus, 410
Amaranthus hybridus, 410
Amaranthus Powellii, 410
Amaranthus retroflexus, 410
Amaranthus spinosus, 410
American Philosophical Society, 638
Amherst College, 354
amixis in evolution, **109**
amphidiploids, 401
ANDERSON, EDGAR, 438, 439, 440, 442, 448, 449, 450, 453, 459, 462
ANDERSON, E. G., 150, **299**–309
antipodal cells, 595
aphid, 125
  intermediate winged, **134, 287**–298
aristapedia, **143**–149
Arnold Arboretum, 41, 134, 136
Arrhenantherum elatius, 129
ASMUNDSON, V. S., 35
ASTAUROFF, B. L., 149, 349
ATWOOD, S. S., **109**
autotetraploid grasses, **129**
AVERY, A. G., **111**, 310, 508, 509, 510

BABCOCK, E. B., 82
BACKHOUSE, W. O., 2
BALKASHINA, E. I., **143**–149
BANTA, A. M., **310**–325
BANTA, S. M., **109**
Bar, 126, 158
BARROWS, W. M., 246
BARTLETT, M. S., 164
BARTO, E., **110**
BATE, R. C., 43
BAUER, H., 47, 58, 61, 474, 475, 479
BAUR, E., 150, 154
BEADLE, G. W., 95, 146, 299, 300, 339, 376, 380, 381, 382, 383, 452, 455, 487
BEAMS, H. W., 485
BEATTY, A. V., **110**
BELAR, K., 57, 483
BELGOVSKY, 575, 576, 582
BELLING, J., 508
BERG, 575
BERGNER, A. D., **111**
BERNSTEIN, F., 187
biovular twins, **187**–196
BIRAGHI, A., 607
BLACK, W. G., 326
BLACKETT, P. M. S., 80, 310
BLAKESLEE, A. F., **111**, 133, 139, 285, 508, 509, 510, 596, 614
BLAIR, A. P., **110**
BLANC, R., **111**, 361
blood tests in twins, **187**–196
BOCHE, R. D., 61, 84
BODENSTEIN, D., 246, 584
BORISOFF, 575
BOYE, C. D., **132**
BOYES, J. W., 1, 11, 612, 614
Brachyury in mouse, 116
BRADBURY, DOROTHY, 614
BRANDLY, C. A., **139**
BRAUN, W., **111**, **143**–149, 584
BREHME, K. S., **112**, 229, 585, 589, 590, 648
BREMER, G., 12
BRESSMAN, E. N., 421
BRIDGES, C. B., i–v, 149, 226, 239, 522, 536, 618, 622, 632, 633
BRINK, R. A., 1, 2, 7, 13, **113**, **114**, **299**–309, **593**–617
bristles, 143–149, **225**–250, **251**–277, **354**–365
bristle pattern in Drosophila, **251**–277
BRODY, G., **645**–650
Brown University, 109, 119, 127
BRYSON, V., **113**, 584, 589
BUCHHOLZ, J. T., 285
BUCK, J. B., 466
BURNHAM, C. R., 285, 303, 487

CAIRNS, J., 223
California Institute of Technology, 299, 337
Capsicum frutescens, 596
CARLSON, J. G., 63
Carnegie Institution of Washington, 111, 112, 115, 124, 127, 128, 133, 139, 534, 618, 628
CARTER, H. G., 433
CASPERSSON, T., 539
CASTLE, W. E., 158
CATCHESIDE, D. G., 58, 474
cell division, effects of colchicine upon, 116
cellular characters in Columbidae, 123, **326**–336
Celosia, 410
Central Experimental Farm, 126
centromere stability, **483**–520
centromere structure, 506
Chaetopsis fulvifrons, 35
CHAMBERLAIN, H. B., 178
CHARLES, D. R., 236, 275
CHEN, TSE-YIN, 591
cherry, sour, 614
CHESLEY, P., 391, 392, 393, 399
chiasma frequency, 449
CHILD, G. P., 245, 252, **354**–365, 584, 589, 590
chimerism, **16**–40
chondrodystrophy, 215
CHRISTIE, W., 17, 18
CHRISTOFF, M., 599
chromatic granules, **127**
chromatid breaks, 42, 76

chromosome
behavior in autotetraploid grasses, 129
bridge configurations, 72
chromocentral region, 565
deletions, **466**
heterochromatic region, 565
heterochromatin in Drosophila, **618**–650
inert region, 565
rye, 401
salivary, **534**–540, 618, 622
splitting, time of, 55
telocentric, **483**–520
X-rays, sensitivity to, 60, 117, **140**
chromosomal aberrations, iv, **41**–68, **69**–87, 117. 124, **129**, 132, 134, 299–309
Apoteltix eurycephalus, 129
Drosophila, 117
frequency of various types, 77
induced by X-rays, 41–68, 124, 134
dosage, 46, 51, 59
intermittent radiation, 52
inversion, **138**
loci, 46, 59
maize, 299–309
natural radiation, 78
spatial arrangement, 45–46
mutation rate, 132
spontaneous, 69–87, 117, **128**
Tradescantia, 41–68, 69–87, 132
chromosomal deficiency, iv
Chymomyza amoena, 351
Chymomyza procnemis, 351
Cladocera, 109, **310**–325
CLANCY, C. W., 339
CLARK, A. H. 246
CLARK, F. J., **136**, 389
CLARKE, A. E., 300
CLELAND, R. E., 636
coat color
guinea pig, **197**–214
mouse, 158
Coe College, 137
colchicine, 116, **310**–325
COLE, L. J., **16**–40, **123**, 326–336
Coleus blumei, **132**
COLLINS, G. N., 12, 99, 100
COLLINS, J. L., 82
color, flower, 133
Columba, **123**, **326**–336
Columba livia, **16**–40
Columbia University, 113, 114, 116, 136, 391,
COMBS, J. D., 246
Connecticut Agricultural Experiment Station, 136, 366
COOPER, D. C., 1, 3, 7, 12, 13, **113**, **114**, **593**–617
Cornell University, 88, 122, 128, 409
CORRENS, C., 150, 154, 409, 418
Cosmos bipinnatus, **150**–156
cotton, 121
COYNE, J., 584, 589
CRANE, M. B., 12, 150, 278, 285
Creeper fowl, **215**–224
CREW, F. A. E., 24, 34, 37
crossing over, ii, **130**, 452
CROZIER, W. J., 480
Cucurbita, 136
culture medium, Drosophila, 252
CUMLEY, R. W., **114**, **123**
CURRY, 522
CURTIS, M. R., **114**

Dactylis glomerata, 126, 129
DANFORTH, C. H., 24, 37
DANIEL, J., 197
Daphnia, 109, **310**–325
DARLINGTON, D. C., 12, 439, 443, 444, 445, 450, 451, 454, 455, 462, 483, 485, 486, 489, 490, 502, 504, 506, 507, 508, 509, 510
DARWIN, C., 17
Datura, **111**, 596
Datura metel, 614
Datura stramonium, **133**, 596
DAVIS, B. M., **433**–437
DAWSON, W. M., 115
deer mouse, **110**
deficiency
Drosophila, 521
maize, 299–309
DELBRÜCK, M., 82
deletions, **466**
DEMEREC, M., 47, 61, 81, 83, 115, 264, 388, 466, 474, 475, 478, 479, 480, 522, 534, **618**–627, 628, 629, 648
DERMEN, H., 310
development
embryonic, 128, 217
larval, 111, 143–149
Medicago embryo, 2–6
optic discs, 112
oxygen, effect on, **126**
temperature, effect on, 225–250
wing, 125
dicentric bridge formation, 634
Dichaete, 225–250, 546
DICK, J. R., 326
differentiation
of aphid types, 125
in chromosomes of Datura, 133
of gonads, **121**
diploidy, Medicago, 1
divisibility, gene, 541
DOBROVOLSKAIA-ZOWADSKAIA, N., 116, 391, 392
DOBZHANSKY, TH., 149, 157, 159, 160, 176, 337, 338, 340, 349, 351, 438, 454
dog, 115
dominance, house mouse, 116
dominant lethal, Drosophila, 137
DOMM, L. V., 31
DONALD, H. P., 346
DORSEY, M. J., 150
double fertilization in plants, 113
DOUGAN, P. K., 137
DOWNEY, J. E., 180
DRIVER, E., 354
DRIVER, O. W., 246, 354
Drosophila
bristles, 548
bristle patterns, 251–277
complementary genes for sterility, 562
duplications, 568
fertility, 561
inversions, 542, 544, 563, 579
Notch, 388
repeats, 568
sterility, complementary genes, 562
susceptibility of sexes to X-rays, 117
translocations, 563

virilis complex, 131
Drosophila affinis, 337–353
genes
abdomen rotatum, 344
abnormal, 340
antennipedia, 342
arc, 340
ascute, 339
bithorax, 340
bobbed, 338
cinnabar, 342
claret, 340
crossveinless, 341
crumpled-1, 341
crumpled-2, 341
cut, 339
Delta, 341
Fused, 344
hairy, 339
hairy-2, 340
jaunty-1, 342
jaunty-2, 342
jaunty-3, 343
knot, 341
miniature, 343
narrow, 342
net, 343
pauciseta, 341
pebbled, 339
pinkish, 341
pink-like, 342
reduced, 344
roughish, 342
rugose, 341
scarlet, 340
scute, 343
scute-1, 339
scute-2, 339
sex-ratio, 340
short-1, 341
short-2, 341
short-tarsi, 341
short-wing, 341
straw, 342
stubby, 339
tilt, 340
tiny-bristle, 341
truncate, 344
veinlet, 340
vermilion, 339
white, 343
white-1, 339
white-2, 339
yellow, 343
Drosophila algonquin, 347
Drosophila ananassae, 337, 634
Drosophila athabasca, 337
Drosophila auraria, 347
Drosophila azteca, 337
Drosophila bipectinata, 347
Drosophila bromeliae, 351
Drosophila cardini, 351
Drosophila coracina, 351
Drosophila duncani, 351
Drosophila earlei, 337
Drosophila ficusphila, 348
Drosophila florae, 351
Drosophila funebris
bristle pattern, 251–277
Polychaeta, 256
Drosophila iroquois, 337
Drosophila lutea, 348
Drosophila melanogaster, 337, 618, 628
bar, 126
bristle formation, 354–365
bristle pattern, 251–277
centromere, 624
character expression, 225–250
corresponding mutant types, 343
crossing over, 130
deficiencies, 619, **628**–635
deficiency, temperature effects, 521
development, 225–250
differentiation of gonads, 121
duplication, 585, 628
duplications, viability of, 626
euchromatic insertions, **618**–650
genes
abdomen rotatum, 343
achaete, 572, 628
apl, 546
apricot, 544
ascute, 343
bar, 126, 544, 584
bifid, **138**, 618
bithorax, 343
bobbed, 343
bobbed lethal, 628
brown, 628
carmine, 618
carnation, 544, 628
cinnabar, 343
claret, 343, 546
crossveinless, 618
crossveinless-d, 343
crumpled, 343
Curly, 546, 645
curlex, 618
cut, 343, 618
Delta, 343
deltex, 618
diminutive, 618
dumpy, 343
ebony, 628
echinus, 618
eyeless, 628
facet, 618
forked, 628
garnet, 618
hairless, 343
hairy, 343, 546
hairy wing, 628
infrabar, 126
jaunty, 343
lanceolate, 343
Lobe, 584
lozenge, 544
miniature, 343, 544
Minute, 112, 584
Minute-4, 628
net, 343
Notch, 618, 628
pebbled, 618
pink, 343
prune, 618, 628
roughest, 618
roughex, 618
roughoid, 546

ruby, 618
rucuca, 546
rugose, 618
scarlet, 343
scooped, 618
scute, 343, 547, 618, 628
scute-1, 354
shaven-naked, 628
shifted, 618
singed, 618
speck, 546
split, 628
straw, 343
tilt, 343
veinlet, 343
vermilion, 343
vesiculated, 618
white, 343, 544, 618, 628
yellow, 343, 544, 572, 618, 628
heterochromatin, **618**
induction of chromosome changes, 124
infrabar, 126
insertional translocation, 618
inversions, 549
larval development, 111
life cycle, 585
map, v
Minute, 112
mortality, 648
mottling, 623, 625
mutations, 584
aristapedia, 143–149
bifid, 138
dachs, 144
Dichaete, 225–250
hairy wing, 264–267
polychaetoid, 225–250, 259–264
thickoid, 144
vestigial, 119
wrinkled, 138
oxygen, effect on development, 126
phenocopies and X-radiation, 111
salivary glands, 137
salivary gland chromosomes, 534–540
second chromosome lethals, 645
spermatheca shape, 157–177
temperature, effect on vestigial, 119
terminal deficiencies, 628
translocation, 628
transplantation, 112, 143
transposition, 618
vestigial, 584–592
wing development, 120, 138
wing mutants, **584**–592
Drosophila miki, 347
Drosophila miranda, 347
Drosophila montium, 347
Drosophila mulleri, 351
Drosophila narragansett, 337
Drosophila nebulosa, 347
Drosophila obscura, 337
Drosophila phalerata, 351
Drosophila pseudoobscura, 337
corresponding mutant types, 343
Drosophila quinaria, 351
Drosophila ramsdeni, 351
Drosophila robusta, 351
Drosophila rufa, 348
Drosophila saltans, 347
Drosophila seminole, 337
Drosophila similis, 351
Drosophila simulans, 338
Drosophila subobscura, 337, 350
Drosophila suzukii, 348
Drosophila takahashii, 347
Drosophila transversa, 351
Drosophila virilis, 351
Drosophila virilis americana, 351
Drosophila willistoni, 337
DUBININ, N. P., 252, 541, 571, 575
DUNHAM, H. H., 310–325
DUNN, L. C., **116**, 197, 215, 391, 392, 393, 584, 589, 590
DUNNING, W. F., **114**
duplication, v
DURHAM, F. M., 197

ear differences in Zea-Euchlaena hybrids, 88, 102
EAST, E. M., 11, 150, 152, 153, 154, 599
EATON, O. N., 35
EBERHARDT, K., 469
EIGENBRODT, H. J., 236, 246
EIGSTI, O. J., 116, 310
EINSELE, W., 197
ELLENGORN, J., 572
ELLERTON, S., 444, 451, 454
embryo development
Creeper fowl, 217
differentiation of gonads, 121
Medicago, 2–6
Sciara, **128**
EMERSON, R. A., 88, 95, 285, 299, 300, 376, 380, 381, 382, 383, 409, 410, 414, 429, 487
Emory University, 131
emotionality in rat, **130**
EMSWELLER, S. L., 72, 73, 84
endosperm, 593
ENZMANN, E. V., 476, 480
EPHRUSSI, B., 146
Erythronium americanum, 131
Eschscholtzia, **110**
evolution, **109**

FABERGÉ, A. C., 67, 472, 477
FELDMAN, H. W., 18, 158
FERGUSON, M. C., 596
fertilization
double, 594
in plants, 113
FILZER, P., 150, 154
fish, gene frequencies in, 118
flecking in pigeon, 16–40
birds, 20
Floradale Farms, 150
FLORELL, V. H., 402, 405
flower color, **133**
flower form, **140**
fowl
Creeper, **215**–224
linkage in, 122
viability, **139**
FRANDSEN, G. G., 300
FRANKEL, O. H., 459
FRASER, A. C., 299, 300, 376, 380, 381, 382, 383, 487
FRIEDENREICH, V., 193
FROLOWA, S. L., 349
FRYER, J. R., 1

fusion, **124**
FYODOROVA, 546

GAIRDNER, A. E., 11, 454
Galton and Mendel Memorial Fund, 409, 593
gametic lethals, **366**–390
GARDINER, E. J., 584
GÄRTNER, C. F., 599
GAUSE, G. F., 246
gene
  divisibility, 541, 570
  frequencies in fresh-water fishes, 118
  number and size, 570
Genetics Society Abstracts, 109–141
geographic relationships among pigeon species, 114
GERASSIMOVA, H., 83
GERSHENSON, S. M., 565
GETTING, I. A., 85
GHIGI, A., 17
GILES, N., 41, 63, **69**–87, **117**, 455, 459, 462, 467, 473
GLASER, O., 358
GLASS, H. B., **117**, **118**
GLIŠIĆ, L., 596
GLUECKSOHN-SCHOENHEIMER, S., **391**–400
GOLDEN, A., 326
GOLDSCHMIDT, R., 143, 149, 252, 270, 287, 360, 576, 584, 591
Gomphrena, 410
gonads, 121
GONZALEZ, B. M., 157
GOODSELL, S. F., 478
GOODSPEED, T. H., 65, 467, 508
GORDON, M., **118**
Goucher College, 117, 118
GOWEN, J. W., 118, **140**
GREEN, C. V., 158
GREEN, E. L., **119**
GREEN, M. M., **119**, **584**–592
GREITE, W., 24
GRIFFEN, A. B., **131**, 485
GRIMBALL, P. C., 409
GUIGNARD, L., 596
guinea pig, coat color, **197**–214
gynandromorphism, iii, **16**–40

HAERTL, E. J., **124**
hairlessness in deer mouse, 110
HÅKANSSON, A., 510
HALDANE, J. B. S., 157, 164, 176
HAMBURGER, V., **215**–224
handedness, **178**–186
HANSON, F. B., 82, 575
HARNLY, M. H., **120**, 246, 354, **521**–533, 590
HARNLY, MARIE L., 521, 524, 526, 527, 529, 530, 532
HARTWELL, G. A., 212
Harvard University, 41, 69, 117, 124, 132, 134, 138, 438, 466, 645
HAWKINS, L. E., 16, 17
HAYDAK, M., 212
HAYES, H. K., 599
HEFNER, R. A., **120**
HEIDENTHAL, G., **197**–214
hermaphroditism, 151
HERSH, A. H., 158, 246
HERTWIG, P., 20, 22
heterochromatin in Drosophila, **618**–650

HEYS, F., 82
HILL, H. D., **129**
HOFMEYR, J. D. J., 409
HOLLANDER, W. F., **16**–40
HOLLINGSHED, L., 11
HOLMES, W. F., 36
homoeosis, 143
HOOVER, M. E., 264, 388, 455, 462, 628, 629, 648
HORLACHER, W. R., 30
HUDSON, G. H., i
HUESTIS, R. R., 121
HUETTNER, A. F., 121
HUGHES, R. D., 351
HUMPHREY, L. M., 121, 451
HUSKINS, C. L., 508, 510
HUSTED, L., 56, 69, 81
HUTT, F. B., **122**
HUXLEY, J. S., 229, 274, 358
hybridization, sterility, 593
hyperploids, 620
hypoploids, 620

identity of translocations, 118
IMAI, Y., 150, 246
IMMER, F. R., 381
immunology in pigeon species, **114**
inbreeding in cotton, 121
incompatibility
  in Cosmos, **150**–156
  in *Trifolium repens*, 109
Indiana University, 110, 636
interaction of genes, **133**
interference and crossing over, **130**
intergeneric differences in Zea-Euchlaena hybrids, **88**–107
intergeneric hybrid, **134**
intermediate-winged aphids, **134**
inter-relations in toads, **110**
intersexuality, iii, 287
interspecific characters, **128**
interspecific hybridization, 114
inversion, 124, 138
  in Tradescantia, **438**–465
inviability, **134**
Iowa State College, 109, 118, 125, 134, 140
IRWIN, M. R., **114** **123**, **326**–336
IVES, P. T., 252, 271, 361, 522, 650

JEFFREY, E. C., **124**
John Innes Horticultural Institution, 278
JOLLOS, V., 82
JONES, H. A., 72, 73, 84
JONES, H. E., 178, 181, 183
JONES, D. F., 285, 409, 414, 505
Josiah Macy Jr. Foundation, 391
JUHN, M., 22, 23

KALISS, N., 648
Kansas Agricultural Experiment Station, 129
KANTOR, J. H., **150**
KARPECHENKO, G. D., 2
KARPER, R. E., 387
karyotaxonomy, **131**
KATTERMANN, 402, 405
KATZ, R., 115
KAUFMANN, B. P., 42, 47, 58, 61, 124, 456, 466, 474, 475, 478, 479, 480, 485, 539, 634
KEESLING, H. O., 27

KELLEY, F. J., 16, 18
KEMPTON, J. H., 99, 100
KIHARA, G., 1, 11, 12
KIHARA, H., 402
KIKKAWA, H., 348, 349
KING, R. L., 485
KIRK, L. E., 2
KLINKOWSKI, M., 12
KOBOZIEFF, N., 391, 399
KODANI, M., 584
KOERNER, 575
KOLLER, P. C., 502, 504, 507, 508, 509
KOMATU, Y., 187
KOSTOFF, D., 1, 11, 606, 607, 614, 615
KRAJKA, J., JR., 246, 354
KRAUS, E. J., 614
KRUGER, M., 596
KÜHN, A., 323

LAIBACH, F., 609
LAMAREUX, W. F., **122**
LAMM, R., 453
LAMY, R., 35
LANCEFIELD, R. C., 347
LANDAUER, W., 215, 218, 219, 221, 222
LANDSTEINER, K., 187, 320
LANGHAM, D. G., **88–107**
LARSEN, C. S., 12
larvae
  development of, 111, 143–149
  effect of temperature upon length of life, 231, 241
LAUTERBACH, C. E., 178, 179, 184
LAW, L. W., 339
LAWRENCE, W. J. C., 278
LAWSON, C. A., **125**
leaf variations, **132**
LEBEDEFF, G. A., 409
LECHE, S., 180
LEDINGHAM, G. F., 1–15, 405, 406
LEFF, I. L., **187–196**
left-handedness, 178–186
LEIGHTY, C. E., 405
LEHMAN, E., 150, 154
lethal, 433
  balanced, 636
  in Drosophila, 137
  in house mouse, **391–400**
  in maize, **366–390**
  time of action, 649
LEVAN, A., 310, 507
LEVI, W. M., 25, 35
LEVINE, P., 187
LEVY, H., 542
LEWIS, G. N., 82
LEWIS, J., 278
LEWIS, W. H., 394
LEWITSKY, G. A., 83, 485
LILLIE, F. R., 23, 38
Linaria vulgaris, **140**
LINCOLN, R. E., **125**
LINDSTROM, E. W., 109
linkage
  deer mouse, 110, 121
  fowl, 122
  maize, 95, 299
  Peromyscus, 110, 121
Linum austriacum, 609
Linum perenne, 609
LITTLE, T. M., **150**
LONGLEY, A. E., 12, 402, 511
LOVE, R. M., **126**, 510
LUCE, W. M., **126**, 246, 354
LÜERS, H., 338
Lycopersicon, 596
Lycopersicon esculentum, 595
LYELL, J. C., 24, 35
LYNCH, C. J., 344

MCCLINTOCK, B., 56, 63, 73, 407, 299, 445, 456, 466, 486, 487, 506, 510, 634
MACDOWELL, E. C., 229, 252
MACKENZIE, K., 480, 579
MCNUTT, C. W., **119, 127**
Macrosiphum solanifolii, 289–298
maize, 88–107, **134**, 136, **299–309**, **366–390**, **483–520**
  gametic lethals, **366–390**
  genes
    sugary, 366
    small pollen, 366
    lethal ovule, 366
    Tunicate, 376
    lazy, 376
    Tassel seed-5, 380
    glossy-3, 381
    defective-16, 381
  meiosis, 634
  origin, 106
  translocations, **299–309**
  ultra-violet light, 136
MAKKI, A. I., 576
malformation, 137
MANGELSDORF, P. C., 2, 150, 153, 285, **367–399**, 428
map
  genetic, v
  linkage, in fowl, 122
  linkage, in maize, 299
  salivary, v
MARGOLIS, O. S., 246, 354, 584
MARTIN, C., 31
MAST, S. O., 246
MATHER, K., 45, 47, 56, 69, 75, 82, 282, 285, 448, 451, 452, 453, 455, 460, 467, 470, 474, 485
Medicago hybrids, 1–15
Medicago sativa, 593
METZ, C. W., 61, 62, 84, **127, 128**, 347, 483
METZELAAR, J., 28, 35, 36, 37
METZNER, R., 483
Mexican fresh-water fishes, 118
MICKEY, G. H., 63
microcephaly, 219
MILLER, C. P., 330
MILLER, D. D., 337, 342
MINUTE, 112, 113
minute rearrangements, 566
mitosis, pollen tube of Eschscholtzia, 110
MIYAKE, K., 150
MOHR, O. L., 529
MONTALENTI, G., 22
MORGAN, T. H., i–v, 239
MORGAN, L. V., 510
mosaicism, **16–40**, 630
  in rat, 114
MOSSIGE, J. C., 584, 590

MOTT-SMITH, L. M., 80, 82
mouse
  bifurcated xiphoid, **119**
  changes of dominance in, 116
  coat color, 158
  embryogeny, 394
  genes, 110, 391
  lethal, **391**–400
  linkage, 110, 121
  short ear, 119
  short tail, 116
  tailless, **391**–400
MULLER, H. J., 47, 80, 82, 270, 470, 474, 480, **541**–583, 629, 634
multiple alleles, **120**
MUNRO, S. S., 24, 34
MÜNTZING, A., 11, 84, 402, 406, 454
MUNZ, P. A., 638
MURRAY, M. J., **409**–431
mutation
  in Daphnia, 310–325
  in dioecious plant, 128
  in *Oenothera Lamarckiana*, **135**
  production of, 125, 132
  rate, 46, 125, 132
  wing, 138
Mycodrosophila dimidiata, 351
MYERS, W. M., **126**, **129**

NABOURS, R. K., **129**
NAVASHIN, M., 62, 83, 84
NAWASCHIN, S., 485, 511
NEBEL, B. R., **140**, 310, 451, 453, 506
NEEDHAM, J., 358
NEEL, J. V., **225**–250, **251**–277
Nemesia strumosa, **133**
NEWMAN, H. H., 178, 180, 183
New York Aquarium, 118
New York State Agricultural Experiment Station, 140
New York University, 120, 521
Nicotiana, 153
Nicotiana glutinosa, 595
Nicotiana rustica, 594, 595
Nicotiana tabacum, 596
NISHIYAMA, I., 1, 11, 12
non-disjunction, ii
non-identity of twins, **187**–196
Notch, 115
NOVITSKI, E., 337, 347
nucellus, 593
nuclear fusion, related to chromosomal structure, **124**

OBERLE, G. D., 409
Oenothera, **636**
  balanced lethals, 643
  complexes in, 636
  gamete lethals, 642
  segmental arrangements in, 637
Oenothera biennis, 433, 613, 636
Oenothera blandina, 433
Oenothera cantabrigiana, **433**–437
Oenothera franciscana, 433
Oenothera grandiflora, 642
Oenothera Hookeri, 433, 638
Oenothera irrigua, 639
Oenothera Jamesii, 640
Oenothera laevigata, 642
Oenothera Lamarckiana, **135**, 613
Oenothera longissima, 640
Oenothera muricata, 613
Oenothera nutans, 642
Oenothera Rydbergii, 640
Oenothera strigosa, 640
OFFERMANN, C. A., 62, **130**
Ohio State University, 132, 178
OJEMANN, R. H., 180
OLIVER, C. P., 47, 61, **119**, 546, 575, **584**–592
OLSON, A. R., 82
O'MARA, J. G., **401**–408
Onagra, **636**

Palm dove, 326–336
PANSHIN, I. B., 568, 575
PARK, J. B., 150
PARKER, M. M., **130**
parthenocarpy, 606
PATTERSON, J. D., **131**
PATTERSON, J. T., 338
PEARL, R., 246, 532
Pearlneck, 123, **326**–336
PENG, R. T., 348
Pennsylvania State College, 109, 126, 129
Peromyscus maniculatus, **110**, 121
PETO, F. H., 12, 453
Petunia, 596
Petunia violacea, 595
phenocopies in Drosophila, 111
PHILLIPS, H. M., **131**
Philip, J., 508
photoperiodism, 88
Phytomonas stewartii, 125
pigeon, **16**–40, 114
  cellular characters, 123, 326–336
  mosaicism, **16**–40
pigmentation, guinea pig, 197–214
ploidy, 1, 7, 136, 139
PLOTNIKOWA, T. W., 84
PLOUGH, H. H., 361, 547, 645, 650
PLUNKETT, C. R., 239, 241, 243, 252, 269, 270, 271, 354, 357
pollen, treated with ultra-violet light, **136**
pollen tube, **110**
  cell division, 116
POLLISTER, A. W., 484
polymorphism, 1
polyploidy
  in animals, 310–325
  Melandrium, 139
POMRIASKINSKY-KOBOZIEFF, N. A., 399
POOLE, C. F., 409
POOLE, M., 65
position effect, **111**, **541**
POULSON, D. F., 338, 647
poultry (See fowl)
prime types in Datura, **111**
Princeton University, 135
production of "aristapedia," **143**
PROKOFYEVA-BELGOVSKAYA, A. A., 534, 539, 541, 542, 565, 566, 567, 569, 572, 574, 576, 579, 607, 629
pseudo-fertility, 152
pupal period, effect of temperature during, 243

Queens College, 137

rabbit, **127**

RAFFEL, D., **541**–583, 629
RAMSEY, R., 247
RANDOLF, L. F., 429, 507, 510
raspberry, 278–286
rat
  blue mutation, 114
  emotionality, 130
Rattus norvegicus, **114**
REES-LEONARD, O. L., 595, 596
REEVES, R. G., 2, 389, 428
RENNER, O., 376, 613
resistance to fowl paralysis, **139**
RHOADES, M. M., 376, 386, **483**–520
RHOADES, V. H., 376, 386, 511
RICHARDSON, M. M., 454
RICK, C. M., **132**, **466**–482
RIEDEL, H., 236
RIFE, D. C., **132**, **178**–186
RILEY, H. P., 69, **133**, 467, 471
Ring dove, 123, **326**–336
RIPER, W. VAN, 31
RITTERHAUS, T., 20, 22
ROBERTS, E., 246, 531
ROBERTSON, C. W., 269, 360
ROBERTSON, D. W., 387
ROBINSON, B. A., JR., **150**
Rockefeller Foundation, 638
ROKIZKY, P. TH., 269
ROSA, J. T., 409
ROTHBERG, S., 193
RUDNICK, D., **215**–224
RUSSELL, E. S., 197, 200, 206–211
RUTTLE, M. L., 310, 451, 453
rye, 402

salivary gland chromosomes, v, 618, 622
  chromatic granules in, **127**
  in embryo, 137
  structure, **534**–540
SANDO, W. J., 402
SATINA, S., **133**, 596, 614
SAWIN, P. B., **127**
SAX, K., **41**–68, 69, 70, 71, 73, 75, 79, 85, **134**, 438, 439, 440, 442, 443, 444, 448–453, 455, 459, 462, 463, 466, 467, 470, 471, 474, 475–478, 480, 484
Scaptomyza graminum, 351
SCHAFFNER, J. H., 415
SCHULTZ, J., 239, 252, 270, 534, 539
SCHWAB, J. J., **157**–177
SCHWEITZER, M. D., 648
Sciara ocellaris, 128
SEARS, E. R., **134**, 402, 406, 407
Secale, **401**, 614
Secale cereale, 402
Secale montanum, 402
selective fertilization in raspberries, **278**–286
self-sterility, 150–156
SENN, A. H., 1
SEREBROVSKY, A. S., 20, 21, 541, 562, 568, 571
sex
  balance in aphids, 125
  determination in Amaranthaceae, **409**–431
  differential susceptibility to X-rays, 117
  Drosophila, ii, iii
  mechanism in Melandrium, **139**
sex-linked inheritance, ii
SEYSTER, E. W., 246
SHANK, D. B., **134**
SHARP, L. W., 429, 484
SHRADER, F., 484, 506, 507
SHULL, A. F., **134**, **287**–298
SHULL, G. H., **135**, 154
SIDKY, A. R., 576
SINGLETON, W. R., **136**, **366**–390
SINITSKAYA, T. G., 542, 577
SINNOTT, E. W., **136**
SIRKS, M. J., 150, 154
SIVERTZEV-DOBZHANSKY, N. P., 648, 650
size differences in plant organs, **136**
skeletal anomalies, 120, 137
SKIRM, G., **136**
SKOLINSKA, M., 12
SLIZYNSKA, H., 387
SLIZYNSKI, B. M., 388
SOBOTTA, J., 394, 398
SOKOLOV, N. N., 480, 571
Solanum tuberosum, 595
somatoplastic sterility, **114**, **593**–617
Sonnenblick, B. P., **137**
Sophophora, 337
SPENCER, W. P., 338
SPRAGUE, G. F., 478
speltoid, 126
spontaneous aberrations, **69**–87, **117**, 128, 320
SPRUIJT, C. A. M., 34, 35
STADLER, L. J., 63, 64, 300, 386, 407, 466, 478, 487
STALKER, H., 269
STANDLEY, P. C., 410, 429
STANLEY, W. F., 246, 354, 528, 529, 530, 531, 532, 590
staple length in cotton, 121
STEBBINS, F. M., **129**
STEBBINS, G. L., JR., 444, 448, 451, 452, 454
STEELE, D. G., 16, 17
sterility, 114
  in Cosmos, **150**–156
  pollen, 448
  self-, 462
  somatoplastic, 593
STERN, C., 247, 268, 275, 648
STEVENS, W. L., 284
STILES, K. A., **137**, 287
STONE, W. S., **131**, 485, 546
STOREY, W. B., 409
Storrs Agricultural Experiment Station, 215
Streblomicrodactyly, 120
STREET, J. C., 85
Streptopelia chinensis, 326–336
Streptopelia risoria, 326–336
Streptopelia senegalensis, 326–336
STURTEVANT, A. H., 84, 252, 254, 270, **337**–353, 454, 455, 459, 460, 463, 650
susceptibility to X-rays, 60, 117
SUTTON, I., 150, 466, 478, 480, **534**–540, 618, 620, 621, **628**–635
SWANSON, C. P., **138**, **438**–465

TABUCHI, K., 150
TAN, C. C., 346, 349
TAYLOR, J. W., 405
telomere, 634
temperature
  effect on development, 225–250
  effect on vestigial, **119**
  effect on wing size in Drosophila, **521**–533
temperature-effective period, 354–365

teosinte, 88–107
TERAO, A., 150, 154
tetraploidy
  Medicago, 1, 7
  Tradescantia, 136
tetrosomic inheritance in Dactylis, **126**
TETREAULT, T. E., **127**
Texas Agricultural Experiment Station, 366
THOMPSON, D'ARCY, 274
THOMPSON, W. P., 1, 11, 12, 402, 405, 406, 612, 614
THOMSEN, O., 193
TIMOFEEFF-RESSOVSKY, H. A., 270, 273
TIMOFEEFF-RESSOVSKY, N. W., 46, 60, 64, 79, 80, 82, 157, 270, 273, 478, 479, 480, 575
TINIAKOV, G. G., 571
toad, **110**
top-root ratios in maize, **134**
Tradescantia
  colchicine treated cells, 116
  induced deletions, 466
  induced mutations, 41–68, 132
  inversions, **138, 438**
  quadrivalent formation, **136**
  spontaneous mutations, 69–87, 117
Tradescantia bracteata, 455
Tradescantia canaliculata, 439
Tradescantia humilis, 439
Tradescantia paludosa, 455
Tradescantia rosea, 459
Tradescantia virginiana, 455
TRANKOWSKY, D. A., 484
translocation
  genetic identity of, **118**
  in maize, 299–309
transplantation
  antennal disks, 143–149
  eye disks, 112, 146
triploidy, Medicago, 6
trisomes, secondary, origin, 508
Triticale, **401**–408
Triticum, **401**, 402, 614
Triticum monococcum, 134
Triticum vulgare, 402
twins, **178**,186, 187–196
TYSDAL, H. M., 1

UBER, F. M., 65, 467
ultra-violet light, treatment of maize pollen, 136
University
  Alabama, 110
  Arkansas, 121
  California, 111, 143
  Chicago, 130, 157, 197
  Edinburgh, 541
  Michigan, 110, 134, 287, 433
  Minnesota, 119, 303, 584
  Missouri, 134
  Oklahoma, 116
  Rochester, 225
  Texas, 131
  Toronto, 140
  Washington, 133
  Wisconsin, 1, 16, 113, 114, 123, 138, 299, 326, 593
U. S. Department of Agriculture, 115, 134, 401, 483
U. S. Regional Poultry Research Laboratory, 139
UPCOTT, M., 72, 73, 457, 459, 485, 502, 504, 507, 508, 509

variation, hereditary, 127
vena cava in rabbit, 127
VERSCHUER, O., 179
viability
  Drosophila, 157
  poultry, **139**
virilis complex in Drosophila, **131**
virulence, **140**
VOGT, 575

WAKAKUWA, SH., 1, 11
WALDRON, L. R., 1
WALETZKY, E., **138**
WALKER, R. I., 310
WARD, E., 246
WARMKE, H. E., **139**
WARREN, D. C., 158
Washington Square College, 120, 521
Washington University, 215
WATERS, N. F., **139**
WATKINS, A. E., 11
WESTERGAARD, M., 12
WESTOVER, H. L., 1
wheat (See Triticum)
WHALEY, W. G., **136**
WHITAKER, T. W., 71, 450
WHITE, M. J. D., 452
WHITNEY, R., 321
WIENER, A. S., **187**–196, 330
WILSON, E. B., ii
WILSON, G. B., **140**
WILSON, P. T., 178, 181, 183
wing, 120, **287**–298
  bifid, 138
  development, 120, 125, **134**
  form, 120
  Notch, 115
  size, 120
  vestigial, 119
wingedness, 287–298
Wittenberg College, 125
WOOD, T. R., 318
WOODSIDE, G. L., 650
WOODSON, R. E., 439
WOOLLEY, G. W., 326
WORSAAL, E., 193
WRIEDT, C., 17, 18
WRIGHT, A. H., 1
WRIGHT, E. S., 394
WRIGHT, G., **140**
WRIGHT, S., 35, 176, 197, 198
Wrinkled, **138**

X-chromosome, ii
  left limb, 338
  right limb, 339
  linkage map, 344
X-rays, 41–68, 69, 81
  differential susceptibility to, 60, 117
  induction of chromosome aberrations, 41–68, 124, 129, 132, 134
  induction of chromosome deletions, 466–482
  mutations, 125
  Notch, 115

sensitivity to, 140
treatment of Drosophila, 111, 115

YAMPOLSKY, C., 409
YARNELL, S. A., 150, 154

yellow series, coat color, 199, 204–209
Zea mays, telocentric chromosome, 483–520
ZELENY, C., 246
ZELLE, M. R., 140